Physica C 195 (1992) 399–401
North-Holland

PHYSICA C

Author Index to Volume 195

Adrian, H., see P. Wagner **195**, 258
Agassi, D. and J.R. Cullen, Twin boundary flux pinning in a high-T_c superconductor **195**, 277
Aguiar, R., see F. Sánchez **195**, 47
Alvarez, G., see P. Drotbohm **195**, 28
Ananthakrishna, G., see R. Khanna **195**, 59
Arulgnanam, A. and A. Balasubramanian, Weak link behaviour in $YBa_2Cu_3O_{7-\delta}$ system studied by a site percolation model **195**, 390

Baar, D.J., see R. Liang **195**, 51
Bailey, A., see P. Drotbohm **195**, 28
Balagurov, A.M., see I.S. Lyubutin **195**, 383
Balasubramanian, A., see A. Arulgnanam **195**, 390
Barkatt, A., see H. Hojaji **195**, 135
Bender, H., see C.T. Lin **195**, 291
Berdahl, P., X.L. Mao, R.P. Reade, M.D. Rubin, R.E. Russo and E. Yin, Angular magnetoresistance provides texture information on high-T_c conductors **195**, 93
Bernhoeft, N.R., see M.R. Delap **195**, 301
Bonn, D.A., see R. Liang **195**, 51
Bordet, P., see C. Chaillout **195**, 335
Brandt, E.H., Flux line lattice in high-T_c superconductors: anisotropy, elasticity, fluctuation, thermal depinning, AC penetration and susceptibility **195**, 1
Brüll, P., see D. Kirchgässner **195**, 157

Carolan, J.F., see R. Liang **195**, 51
Cava, R.J., see C. Chaillout **195**, 335
Chaillout, C., Q. Huang, R.J. Cava, J. Chenavas, A. Santoro, P. Bordet, J.L. Hodeau, J.J. Krajewski, J.P. Levy, M. Marezio and W.F. Peck Jr., Synthesis and crystal structure of $BaSrCuO_{2+x}{\cdot}CO_3$ **195**, 335
Chen, B.-J., see M.A. Rodriguez **195**, 185
Chenavas, J., see C. Chaillout **195**, 335
Chern, C.S., see Y.Q. Li **195**, 161
Ciszek, M., see E.S. Vlakhov **195**, 345
Cosandey, F., see Y.Q. Li **195**, 161
Cullen, J.R., see D. Agassi **195**, 277

Davis, D.D., see H. Hojaji **195**, 135
Delap, M.R. and N.R. Bernhoeft, A model for the thermal conductivity of $YBa_2Cu_3O_{7-\delta}$ **195**, 301
Dmitrieva, T.V., see I.S. Lyubutin **195**, 383
Dosanjh, P., see R. Liang **195**, 51
Drotbohm, P., G.J. Russell, A. Bailey, G. Alvarez and K.N.R. Taylor, Low frequency (5 MHz) impedance measurements of thick YBCO films **195**, 28

Edwards, P.P., see R.S. Liu **195**, 35
Elesin, V.F., V.A. Kashurnikov, L.A. Openov and A.I. Podlivaev, On the pressure effect on T_c of hole-doped and electron-doped high-T_c superconductors **195**, 171

Feduzi, R., F. Lanza and M.D. Giardina, The influence of carrier concentration on the superconductive properties of $YBa_2Cu_{3-x}Li_xO_{6.5+y-x/2}$ **195**, 177
Fueki, K., see H. Ishizuka **195**, 145
Fueki, K., see Y. Idemoto **195**, 269

Gallois, B., see Y.Q. Li **195**, 161
Gan, Z.Z., see C.D. Wei **195**, 286
García-Cuenca, M.V., see F. Sánchez **195**, 47
Giardina, M.D., see R. Feduzi **195**, 177
Goto, T., M. Niwa and A. Kawanaka, Platinum coating of solution-spun $Y_1Ba_2Cu_3O_x$ filament **195**, 199
Gou, Y.S., see K.H. Wu **195**, 241
Grigor'eva, I.V., see L.A. Gurevich **195**, 323
Grigorieva, I.V., L.A. Gurevich and L.Ya. Vinnikov, Direct observation of the vortex structure in high-T_c superconductors in tilted magnetic fields. II. Vortex pinning by twins in YBaCuO single crystals **195**, 327
Groult, D., see R.S. Liu **195**, 35
Gurevich, L.A., I.V. Grigor'eva, N.N. Kolesnikov, M.P. Kulakov, V.A. Larkin and L.Ya. Vinnikov, Direct observation of the vortex structure in high-T_c superconductors in tilted magnetic fields. I. Flux-line lattice in $Tl_2Ba_2CaCu_2O_{8+x}$ single crystals **195**, 323
Gurevich, L.A., see I.V. Grigorieva **195**, 327
Guyer, R., P. Kumar, S.G. Mishra, S. Obukhov and Y. Sun, A phenomenological approach to the superconducting transition in thin films and S–N superlattices **195**, 263
Gyorffy, B.L., see M.B. Suvasini **195**, 109

Han, P.D., see G.T. Seidler **195**, 373
Hardy, W.N., see R. Liang **195**, 51
He, Q., see C.D. Wei **195**, 286
Hervieu, M., see R.S. Liu **195**, 35
Hirao, M., T. Uda and Y. Murayama, Electronic band structure of $YBa_2Cu_3O_7$ and $YBa_2Cu_3O_6$ by density functional pseudopotential method **195**, 230
Hirsch, J.E. and F. Marsiglio, Normal state properties of high-T_c oxides **195**, 355
Hodeau, J.L., see C. Chaillout **195**, 335
Hojaji, H., S. Hu, A. Barkatt, D.D. Davis and A.N. Thorpe, Anomalies in the magnetization of melt-processed YBCO superconductors **195**, 135
Hsu, S.E., see K.H. Wu **195**, 241
Hu, S., see H. Hojaji **195**, 135
Hu, S.F., see R.S. Liu **195**, 35

Huang, Q., see C. Chaillout **195**, 335

Idemoto, Y., see H. Ishizuka **195**, 145
Idemoto, Y., I. Oyagi and K. Fueki, Determination of thermodynamic data of $Ln_{1.85}Ce_{0.15}CuO_4$ and Ln_2CuO_4 (Ln = Nd, Sm, Eu) by the EMF method **195**, 269
Ishizuka, H., Y. Idemoto and K. Fueki, Oxygen nonstoichiometry and high-temperature conductivity of $DyBa_2Cu_3O_{7-\delta}$ **195**, 145
Itoh, N., see S. Kawamata **195**, 103

Jefferson, D.A., see R.S. Liu **195**, 35
Juang, J.Y., see K.H. Wu **195**, 241

Kadowaki, K., see S. Kawamata **195**, 103
Kadowaki, K. and T. Mochiku, Anomalous magnetization behavior of single crystalline $Bi_2Sr_2CaCu_2O_{8+\delta}$ **195**, 127
Kahrizi, M., see S.K. Misra **195**, 71
Kao, Y.H., see W.J. Yeh **195**, 367
Kashurnikov, V.A., see V.F. Elesin **195**, 171
Kawamata, S., N. Itoh, K. Okuda, T. Mochiku and K. Kadowaki, Observation of anisotropic pinning effect in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals **195**, 103
Kawanaka, A., see T. Goto **195**, 199
Kear, B., see Y.Q. Li **195**, 161
Kes, P.H., see C.J. van der Beek **195**, 307
Khanna, R. and G. Ananthakrishna, Monte Carlo study of the phase boundary of $YBa_2Cu_3O_{6+x}$ **195**, 59
Kihara, J., see J. Li **195**, 205
Kirchgässner, D., P. Brüll and P. Leiderer, Determination of the critical current density in superconducting films. Comparison of a measured magnetic flux distribution with model calculations **195**, 157
Kishio, K., see J. Li **195**, 205
Kitazawa, K., see J. Li **195**, 205
Klavins, P., see Y. Nagata **195**, 195
Kolesnikov, N.N., V.E. Korotkov, M.P. Kulakov, R.P. Shibaeva, V.N. Molchanov, R.A. Tamazyan and V.I. Simonov, Structure of superconducting single crystals of 2201 thallium cuprate $(Tl_{1.85}Cu_{0.15})Ba_2CuO_6$, $T_c = 110$ K **195**, 219
Kolesnikov, N.N., see L.A. Gurevich **195**, 323
Komiya, S., see J. Li **195**, 205
Kopylov, V.N., T.G. Togonidze and I.F. Schegolev, Observation of 2D–3D transition in $Tl_2Ba_2CaCu_2O_x$ **195**, 379
Korotkov, V.E., see N.N. Kolesnikov **195**, 219
Krajewski, J.J., see C. Chaillout **195**, 335
Kulakov, M.P., see N.N. Kolesnikov **195**, 219
Kulakov, M.P., see L.A. Gurevich **195**, 323
Kumar, P., see R. Guyer **195**, 263
Kurmaev, E.Z. and S.N. Shamin, CKα X-ray emission spectra of C_{60} **195**, 352
Kuznetsov, A.A., see A.N. Terentiev **195**, 41

Lai, T.C., see K.H. Wu **195**, 241
Lanza, F., see R. Feduzi **195**, 177
Larkin, V.A., see L.A. Gurevich **195**, 323
Lee, C.L., see K.H. Wu **195**, 241
Leiderer, P., see D. Kirchgässner **195**, 157
Levy, J.P., see C. Chaillout **195**, 335
Li, J., S. Komiya, T. Tamura, C. Nagasaki, J. Kihara, K. Kishio and K. Kitazawa, Growth and properties of pure C_{60} single crystals from vapor **195**, 205
Li, Y.Q., J. Zhao, C.S. Chern, P. Lu, B. Gallois, P. Norris, B. Kear and F. Cosandey, Effects of composition on microstructure and superconducting properties of $YBa_2Cu_3O_{7-x}$ thin films prepared by plasma enhanced metalorganic chemical vapor deposition **195**, 161
Liang, R., P. Dosanjh, D.A. Bonn, D.J. Baar, J.F. Carolan and W.N. Hardy, Growth and properties of superconducting YBCO single crystals **195**, 51
Liang, W.Y., see C.T. Lin **195**, 291
Lin, C.T., W. Zhou, W.Y. Liang, E. Schönherr and H. Bender, Growth of large and untwinned single crystal of YBCO **195**, 291
Liu, R.S., D. Groult, A. Maignan, S.F. Hu, D.A. Jefferson, B. Raveau, C. Michel, M. Hervieu and P.P. Edwards, An enhancement of T_c, from 45 K to 70 K, via Cd substitution in $(Pb,Cu)Sr_2(Ca,Y)Cu_2O_{7-\delta}$ **195**, 35
Liu, Z.X., see C.D. Wei **195**, 286
Lu, P., see Y.Q. Li **195**, 161
Lyubutin, I.S., V.G. Terziev, T.V. Dmitrieva, A.M. Balagurov and S. Nasu, Magnetic ordering of Fe atoms in oxygen-saturated and oxygen-reduced $YBa_2(Cu_{1-x}Fe_x)_3O_y$ **195**, 383

Maignan, A., see R.S. Liu **195**, 35
Maley, M.P., see C.J. van der Beek **195**, 307
Mao, X.L., see P. Berdahl **195**, 93
Maple, M.B., L.M. Paulius and J.J. Neumeier, On the pressure dependence of T_c of the $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ system **195**, 64
Marezio, M., see C. Chaillout **195**, 335
Marsiglio, F., see J.E. Hirsch **195**, 355
Menken, M.J.V., see C.J. van der Beek **195**, 307
Menovsky, A.A., see C.J. van der Beek **195**, 307
Michel, C., see R.S. Liu **195**, 35
Mishra, S.G., see R. Guyer **195**, 263
Misra, S.K. and M. Kahrizi, Microwave absorption by single and polycrystals of $Bi_2Sr_2CaCu_2O_{8+\delta}$ **195**, 71
Mochiku, T., see S. Kawamata **195**, 103
Mochiku, T., see K. Kadowaki **195**, 127
Molchanov, V.N., see N.N. Kolesnikov **195**, 219
Morenza, J.L., see F. Sánchez **195**, 47
Mosley, W.D., see Y. Nagata **195**, 195
Murayama, Y., see M. Hirao **195**, 230

Nagasaki, C., see J. Li **195**, 205
Nagata, Y., N. Suzuki, T. Uchida, W.D. Mosley, P. Klavins and R.N. Shelton, Electrical resistivity of single crystal $Ba_{1-x}K_xBiO_3$ **195**, 195
Nasu, S., see I.S. Lyubutin **195**, 383
Nenkov, K.A., see E.S. Vlakhov **195**, 345
Neumeier, J.J., see M.B. Maple **195**, 64

Niwa, M., see T. Goto **195**, 199
Norris, P., see Y.Q. Li **195**, 161

Obukhov, S., see R. Guyer **195**, 263
Okuda, K., see S. Kawamata **195**, 103
Openov, L.A., see V.F. Elesin **195**, 171
Owens, F.J., Magneto microwave absorption observation of surface vortex lattice melting in single crystals of $Bi_2Sr_2CaCu_2O_{8+x}$ **195**, 225
Oyagi, I., see Y. Idemoto **195**, 269

Paulius, L.M., see M.B. Maple **195**, 64
Payne, D.A., see G.T. Seidler **195**, 373
Peck Jr., W.F., see C. Chaillout **195**, 335
Phillips, J.C., Theory of anomalous sharpening of superconductive photoemission spectra **195**, 239
Podlivaev, A.I., see V.F. Elesin **195**, 171

Queralt, X., see F. Sánchez **195**, 47

Rajeev, K.P., see H. Srikanth **195**, 87
Raveau, B., see R.S. Liu **195**, 35
Raychaudhuri, A.K., see H. Srikanth **195**, 87
Reade, R.P., see P. Berdahl **195**, 93
Ren, H.T., see C.D. Wei **195**, 286
Rodriguez, M.A., B.-J. Chen and R.L. Snyder, The formation mechanism of textured $YBa_2Cu_3O_{7-\delta}$ **195**, 185
Rosenbaum, T.F., see G.T. Seidler **195**, 373
Rubin, M.D., see P. Berdahl **195**, 93
Russell, G.J., see P. Drotbohm **195**, 28
Russo, R.E., see P. Berdahl **195**, 93

Sánchez, F., M. Varela, X. Queralt, M.V. García-Cuenca, R. Aguiar and J.L. Morenza, Superconducting $YBa_2Cu_3O_7$ films deposited on Si(100) substrates with CeO_2 buffer layers by laser ablation **195**, 47
Santoro, A., see C. Chaillout **195**, 335
Schegolev, I.F., see V.N. Kopylov **195**, 379
Schneider, T., Relation between transition temperature, London penetration depth and Kosterlitz–Thouless behavior in superconductors **195**, 82
Schönherr, E., see C.T. Lin **195**, 291
Seidler, G.T., T.F. Rosenbaum, P.D. Han, D.A. Payne and B.W. Veal, Critical fields and flux pinning in single crystal $Ba_{1-x}K_xBiO_3$ **195**, 373
Shamin, S.N., see E.Z. Kurmaev **195**, 352
Shelton, R.N., see Y. Nagata **195**, 195
Shibaeva, R.P., see N.N. Kolesnikov **195**, 219
Shivashankar, G.V., see H. Srikanth **195**, 87
Simonov, V.I., see N.N. Kolesnikov **195**, 219
Snyder, R.L., see M.A. Rodriguez **195**, 185
Song, L.W., see W.J. Yeh **195**, 367
Srikanth, H., K.P. Rajeev, G.V. Shivashankar and A.K. Raychaudhuri, Normal state tunneling conductance of perovskite oxides. Implications for high-T_c superconductors **195**, 87
Sun, Y., see R. Guyer **195**, 263
Suvasini, M.B. and B.L. Gyorffy, A multiple scattering method for solving Bogoliubov–de Gennes equations of superconductivity **195**, 109
Suzuki, N., see Y. Nagata **195**, 195

Tamazyan, R.A., see N.N. Kolesnikov **195**, 219
Tamura, T., see J. Li **195**, 205
Taylor, K.N.R., see P. Drotbohm **195**, 28
Terentiev, A.N. and A.A. Kuznetsov, Drift of levitated YBCO superconductor induced by both a variable magnetic field and a vibration **195**, 41
Terziev, V.G., see I.S. Lyubutin **195**, 383
Thorpe, A.N., see H. Hojaji **195**, 135
Togonidze, T.G., see V.N. Kopylov **195**, 379
Tomé-Rosa, C., see P. Wagner **195**, 258
Tu, S.L., see K.H. Wu **195**, 241

Uchida, T., see Y. Nagata **195**, 195
Uda, T., see M. Hirao **195**, 230
Uen, T.M., see K.H. Wu **195**, 241

Van der Beek, C.J., P.H. Kes, M.P. Maley, M.J.V. Menken and A.A. Menovsky, Flux pinning and creep in the vortex–glass phase in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystals **195**, 307
Varela, M., see F. Sánchez **195**, 47
Veal, B.W., see G.T. Seidler **195**, 373
Vinnikov, L.Ya., see L.A. Gurevich **195**, 323
Vinnikov, L.Ya., see I.V. Grigorieva **195**, 327
Vlakhov, E.S., K.A. Nenkov and M. Ciszek, AC losses in polycrystalline $YBa_2Cu_3O_y$ doped with Ag and Te **195**, 345

Wagner, P., H. Adrian and C. Tomé-Rosa, In situ-preparation of $Bi_2Sr_2CaCu_2O_y$-thin films by DC-sputtering **195**, 258
Wei, C.D., Z.X. Liu, Z.Z. Gan, H.T. Ren, L. Xiao and Q. He, Scaling law and flux pinning in neutron-irradiated $YBa_2Cu_3O_y$ crystal prepared by melt-textured growth method **195**, 286
Wu, K.H., J.Y. Juang, C.L. Lee, T.C. Lai, T.M. Uen, Y.S. Gou, S.L. Tu, S.J. Yang and S.E. Hsu, Optimization of depositing $Y_1Ba_2Cu_3O_{7-\delta}$ superconducting thin films by excimer laser ablation with CO_2 laser-heated substrates **195**, 241

Xiao, L., see C.D. Wei **195**, 286

Yang, M., see W.J. Yeh **195**, 367
Yang, S.J., see K.H. Wu **195**, 241
Yeh, W.J., L.K. Yu, M. Yang, L.W. Song and Y.H. Kao, Flux-flow noise and possible self-organized criticality in $YBa_2Cu_3O_{7-\delta}$ thin films **195**, 367
Yin, E., see P. Berdahl **195**, 93
Yu, L.K., see W.J. Yeh **195**, 367

Zhao, J., see Y.Q. Li **195**, 161
Zhou, W., see C.T. Lin **195**, 291

Physica C 195 (1992) 403
North-Holland

PHYSICA C

Analytic Subject Index to Volume 195

1/*f* noise 367

AC susceptibility 1
Anisotropic superconductor 1, 71, 82, 103, 379
Applications of high-T_c superconductors 199

Band structure 230, 355
Binding energy 171
Bitter technique 323, 327
Bogoliubov–de Gennes equations 109
Bose condensation 82

C_{60} compounds 205, 352
Carrier concentration 230, 355
Coating 199
Coherence length 195
Collective pinning 127
Critical current density 127, 135, 157, 161, 195, 199, 277, 286, 307, 345
Critical state model 157
Cu–O chains 145
Cu–O planes 93, 145, 171, 177

Decomposition pressure 269

Electrical resistivity 28, 51, 93, 145, 258, 301
–of $Ba_{1-x}K_xBiO_3$ 195
Electronic structure 230, 352
Emery Hamiltonian 171
EMF measurement
–on Ln_2CuO_4 (Ln = Nd,Sm,Eu) 269
Energy gap 109

Fermi surface 230
Fietz–Webb scaling law 286
Fluctuation effects 1, 82
Flux creep 307
Flux dynamics 41, 367
Flux lattice 1, 225, 379
–in $Tl_2Ba_2CaCu_2O_{8+x}$ 323
–in YBaCuO 327
Flux melting 367

Flux pinning 41, 103, 127, 135, 277, 286, 307, 323, 327, 373

Ginzburg–Landau theory 263
Glassy state 307
Grain alignment (texturing) 93, 185
Granular superconductivity 28, 71, 345

High pressure effect 64, 171
Hole concentration 177
HREM 161, 291

Impedance 28
Irradiation effect 286
Irreversibility line 225

Lattice parameters
–of $Tl_2Ba_2CuO_6$ 219
Levitation 41
Lower critical field H_{c1} 103, 195, 373

Magnetic phase diagram 383
Magnetization 135, 307
–of $Ba_{1-x}K_xBiO_3$ 373
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 103, 127
–of $Tl_2Ba_2CaCu_2O_x$ 379
Magnetoresistance 93
Metal–insulator transition 87
Microwave absorption 51, 71, 225
Modulated structures 263
Mössbauer spectroscopy 383

Neutron diffraction 335, 383
Normal-state properties 64, 87, 355

O–T transition 59
Oxygen ordering 59
Oxygen stoichiometry 145, 301, 390

Pair breaking 64, 263
Penetration depth 1, 82
Percolation model 390
Phase diagram 59, 145
Phonon spectrum 239
Photoemission spectra
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 239

Pulsed laser deposition 241

Scanning electron microscopy 241
Single-crystal growth 51, 185, 205, 219
–of YBCO 291
Specific heat 205
Specific heat at T_c 51
Standard free energy change 269
Structural phase transition 205
Structure
–of $BaSrCuO_{2+x}CO_3$ 335
–of $(Pb,Cu)Sr_2(Ca,Y)Cu_2O_{7-\delta}$ 35
–of $Tl_2Ba_2CuO_6$ 219
–of $YBa_2Cu_3O_7$ 47
–of $YBa_2Cu_3O_{7-\delta}$ 185, 390
Substitution effects 177
–in $(Pb,Cu)Sr_2(Ca,Y)Cu_2O_{7-\delta}$ 35
–in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 64
–in YBCO 135
Substitution effects of Ag and Te
–in $YBa_2Cu_3O_y$ 345
Surface barrier 277, 345
Synthesis
–of $BaSrCuO_{2+x}CO_3$ 335
–of $Bi_2Sr_2CaCu_2O_y$ 258
–of $Y_1Ba_2Cu_3O_{7-\delta}$ 241
–of $YBa_2Cu_3O_{7-\delta}$ 185
–of YBCO 291

Thermal conductivity
–of $YBa_2Cu_3O_{7-\delta}$ 301
Thin films 28, 93, 157, 263
–of $Bi_2Sr_2CaCu_2O_y$ 258
–of $Y_1Ba_2Cu_3O_{7-\delta}$ 241
–of $YBa_2Cu_3O_7$ 47
–of $YBa_2Cu_3O_{7-x}$ 161
Tunneling 87
Twin boundaries 277, 291, 327

Upper critical field H_{c2} 195, 373

Weak links 390

XPS 352

Physica C 195 (1992) 405
North-Holland

PHYSICA C

Materials Index to Volume 195

$Ba_{1-x}K_xBiO_3$
–electrical resistivity 195
–magnetization 373
$BaSrCuO_{2+x}.CO_3$
–structure 335
–synthesis 335
$Bi_2Sr_2CaCu_2O_{8+\delta}$
–magnetization 103, 127
–photoemission spectra 239
$Bi_2Sr_2CaCu_2O_y$
–synthesis 258
–thin films 258

Ln_2CuO_4
–EMF measurement 269

$(Pb,Cu)Sr_2(Ca,Y)Cu_2O_{7-\delta}$
–structure 35
–substitution effects 35

$Tl_2Ba_2CaCu_2O_{8+x}$
–flux lattice 323
$Tl_2Ba_2CaCu_2O_x$
–magnetization 379
$Tl_2Ba_2CuO_6$
–lattice parameters 219
–structure 219

$Y_1Ba_2Cu_3O_{7-\delta}$
–synthesis 241
–thin films 241
$Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$
–substitution effects 64
$YBa_2Cu_3O_7$
–structure 47
–thin films 47
$YBa_2Cu_3O_{7-\delta}$
–structure 185, 390
–synthesis 185
–thermal conductivity 301
$YBa_2Cu_3O_{7-x}$
–thin films 161
$YBa_2Cu_3O_y$
–substitution effects of Ag and Te 345
YBaCuO
–flux lattice 327